



# THIXOTROPIC ADDITIVE SERIES 44-721

## PRODUCT PROFILE

**GENERIC DESCRIPTION** Thixotropic Additive  
**COMMON USAGE** An additive that increases the film build characteristics of Series 431.

## TECHNICAL DATA

**VOLUME SOLIDS** 52 ± 1%  
**VOLATILE ORGANIC COMPOUNDS** 3.64 lbs/gal (436 g/L)  
**PACKAGING** Quart Container  
**NET WEIGHT PER GALLON** 7.74 ± 0.10 lbs (3.51 ± .11 kg)  
**STORAGE TEMPERATURE** Minimum 40°F (4°C) Maximum 110°F (43°C)  
 Protect From Freezing  
**SHELF LIFE** 12 months at recommended storage temperature  
**FLASH POINT - SETA** >200°F (95°C)  
**HEALTH & SAFETY** Paint products contain chemical ingredients which are considered hazardous. Read container label warning and Material Safety Data Sheet for important health and safety information prior to the use of this product.  
**Keep out of the reach of children.**

## APPLICATION

**MIXING** Stir contents of Series 431 Part A, making sure no pigment remains on the bottom. **While Part A is under agitation, accurately add up to 2.5 fluid ounces (74 mL) of Series 44-721 Thixotropic Additive for each gallon of Series 431 Part A** (Amount of Series 44-721 will depend on the needed increase in viscosity of the Series 431.) Continue agitation until thoroughly mixed. Series 44-721 should be added to Part A only. **Note:** The use of more than the recommended ratio of 44-721 will adversely affect coating performance.

Shake container before addition to ensure complete incorporation. Add measured amount of 44-721 to Series 431 Part A and mix well under low agitation. Recommended levels are:

Series 431 Part A	Series 44-721 Additive
Drum Set: Part A 50.0 Gal (189.2 L)	Up to 125 fl oz (3,697 mL)
Large Kit: Part A 4.0 Gal (15.1 L)	Up to 10 fl oz (296 mL)
Small Kit: Part A 0.5 Gal (1.89 L)	Up to 1.25 fl oz (37 mL)

WARRANTY & LIMITATION OF SELLER'S LIABILITY: Tnemec Company, Inc. warrants only that its coatings represented herein meet the formulation standards of Tnemec Company, Inc. THE WARRANTY DESCRIBED IN THE ABOVE PARAGRAPH SHALL BE IN LIEU OF ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. The buyer's sole and exclusive remedy against Tnemec Company, Inc. shall be for replacement of the product in the event a defective condition of the product should be found to exist and the exclusive remedy shall not have failed its essential purpose as long as Tnemec is willing to provide comparable replacement product to the buyer. NO OTHER REMEDY (INCLUDING, BUT NOT LIMITED TO, INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR LOST PROFITS, LOST SALES, INJURY TO PERSON OR PROPERTY, ENVIRONMENTAL INJURIES OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE AVAILABLE TO THE BUYER. Technical and application information herein is provided for the purpose of establishing a general profile of the coating and proper coating application procedures. Test performance results were obtained in a controlled environment and Tnemec Company makes no claim that these tests or any other tests, accurately represent all environments. As application, environmental and design factors can vary significantly, due care should be exercised in the selection and use of the coating.

